Brain Research, 621 (1993) 358–360
Elsevier Science Publishers B.V.

Author Index

Abe, K. and Saito, H.
Tyrosine kinase inhibitors, herbimycin A and lavendustin A, block formation of long-term potentiation in the dentate gyrus in vivo (621) 167
Abe, K., see Kawagoe, J.-i. (621) 121
Abraham, C.R., Kanemaru, K. and Mucke, L.
Expression of cathepsin G-like and α_1-antichymotrypsin-like proteins in reactive astrocytes (621) 222
Agnati, L.F., see Yang, S.-N. (621) 126
Akabayashi, A., Zaia, C.T.B.V., Silva, I., Chae, H.J. and Leibowitz, S.F.
Neuropeptide Y in the arcuate nucleus is modulated by alterations in glucose utilization (621) 343
Ang, L.-C., see Sass, J.B. (621) 207
Aoki, M., see Kawagoe, J.-i. (621) 121
Arai, R., Yamada, K., Fujii, T., Deura, S., Kobayashi, K., Nagatsu, T. and Nagatsu, I.
Evidence for localization of the transgene product within axon terminals in the dentate gyrus of transgenic mice expressing human phenylethanolamine *N*-methyltransferase. A light and electron microscopic immunocytochemical study (621) 141
Aronin, N., see Lester, J. (621) 106
Asari, S., see Date, I. (621) 150
Asari, S., see Zhou, J. (621) 155

Battistin, L., see Freo, U. (621) 175
Benjamin, D., Grant, E.R. and Pohorecky, L.A.
Naltrexone reverses ethanol-induced dopamine release in the nucleus accumbens in awake, freely moving rats (621) 137
Berger, A.J., see Livingston, C.A. (621) 97
Bettiker, R.L., see Ribeiro, E.B. (621) 311
Betz, H., see Kirsch, J. (621) 301
Beyer, C., see Masters, D.B. (621) 279
Bhargava, H.N., see Thorat, S.N. (621) 171
Bjelke, B., see Yang, S.-N. (621) 126
Bogdanov, M., see Ribeiro, E.B. (621) 311
Bray, G.A., see Shimizu, H. (621) 200
Butcher, K.S., Hachinski, V.C., Wilson, J.X., Guiraudon, C. and Cechetto, D.F.
Cardiac and sympathetic effects of middle cerebral artery occlusion in the spontaneously hypertensive rat (621) 79
Butterworth, R.F., see Rao, V.L.R. (621) 349

Cannon-Spoor, H.E., see Takashima, H. (621) 71
Cechetto, D.F., see Butcher, K.S. (621) 79
Chae, H.J., see Akabayashi, A. (621) 343
Chen, J., Marmur, R., Pulles, A., Paredes, W. and Gardner, E.L.
Ventral tegmental microinjection of Δ^9-tetrahydrocannabinol enhances ventral tegmental somatodendritic dopamine levels but not forebrain dopamine levels: evidence for local neural action by marijuana's psychoactive ingredient (621) 65
Cornwell, C.J., Messenger, J.B. and Williamson, R.
Distribution of GABA-like immunoreactivity in the octopus brain (621) 353
Cotman, C.W., see Whittemore, E.R. (621) 59
Cravo, S.L. and Morrison, S.F.
The caudal ventrolateral medulla is a source of tonic sympathoinhibition (621) 133

Da Costa, M.B., see Schenberg, L.C. (621) 50
Dam, M., see Freo, U. (621) 175
Date, I., Yoshimoto, Y., Imaoka, T., Miyoshi, Y., Gohda, Y., Furuta, T., Asari, S. and Ohmoto, T.
Enhanced recovery of the nigrostriatal dopaminergic system in MPTP-treated mice following intrastriatal injection of basic fibroblast growth factor in relation to aging (621) 150
Date, I., see Zhou, J. (621) 155
Davies, H., see Stewart, M.G. (621) 331
Detta, A., see Dong, J.F. (621) 242
Deura, S., see Arai, R. (621) 141
Devine, J.A., see Shukitt-Hale, B. (621) 291
DiFiglia, M., see Lester, J. (621) 106
Dong, J.F., Detta, A. and Hitchcock, E.R.
Susceptibility of human foetal brain tissue to cool- and freeze-storage (621) 242
Drugan, R.C., see Holmes, P.V. (621) 1

Erskine, M.S., see Rowe, D.W. (621) 25
Etebari, A., see Whittemore, E.R. (621) 59

Fahnestock, M. and Lu, Q.
Nerve growth factor synthesis by mouse submandibular gland cells in culture (621) 339
Fhölenhag, K., see Lai, Z. (621) 260
Fink, S., see Lester, J. (621) 106
Freed, W.J., see Takashima, H. (621) 71
Freo, U., Dam, M., Pizzolato, G., Pietrini, P., Soncrant, T.T. and Battistin, L.
The monosialoganglioside GM_1 dose-dependently reduces regional cerebral metabolic rates for glucose in awake rats (621) 175
Friedman, D.P., see Schneider, R.J. (621) 116
Fujii, T., see Arai, R. (621) 141
Furuta, T., see Date, I. (621) 150
Furuta, T., see Zhou, J. (621) 155
Fuxe, K., see Yang, S.-N. (621) 126

Gardner, E.L., see Chen, J. (621) 65
Giguère, J.-F., see Rao, V.L.R. (621) 349
Glass, J.D., see Selim, M. (621) 181
Gohda, Y., see Date, I. (621) 150
Grant, E.R., see Benjamin, D. (621) 137
Gruol, D.L., see Holliday, J. (621) 233
Guiraudon, C., see Butcher, K.S. (621) 79

Hachinski, V.C., see Butcher, K.S. (621) 79
Hauser, U.E., see Selim, M. (621) 181
Hecht, G.S., see Porter, L.H. (621) 319
Hijiya, H., see Sugimoto, T. (621) 161
Hitchcock, E.R., see Dong, J.F. (621) 242
Holliday, J. and Gruol, D.L.
Cytokine stimulation increases intracellular calcium and alters the response to quisqualate in cultured cortical astrocytes (621) 233
Holmes, P.V. and Drugan, R.C.
Amygdaloid central nucleus lesions and cholinergic blockade attenuate the response of the renal peripheral benzodiazepine receptor to stress (621) 1
Hori, K., Tanaka, J. and Nomura, M.
Effects of discrimination learning on the rat amygdala dopamine release: a microdialysis study (621) 296

Ichikawa, H., see Sugimoto, T. (621) 161
Imaoka, T., see Date, I. (621) 150

Jennes, L., see Wright, D.E. (621) 272
Jordan, F., see Masters, D.B. (621) 279
Juurlink, B.H.J., see Sass, J.B. (621) 207

Kanemaru, K., see Abraham, C.R. (621) 222
Kawagoe, J.-i., Abe, K., Aoki, M. and Kogure, K.
Induction of HSP90α heat shock mRNA after transient global ischemia in gerbil hippocampus (621) 121
Kirsch, J. and Betz, H.
Widespread expression of gephyrin, a putative glycine receptor–tubulin linker protein, in rat brain (621) 301
Kobayashi, K., see Arai, R. (621) 141
Kogure, K., see Kawagoe, J.-i. (621) 121
Komisaruk, B.R., see Masters, D.B. (621) 279
Korotzer, A.R., see Whittemore, E.R. (621) 59
Kossut, M., see Stewart, M.G. (621) 331

Lai, Z., Roos, P., Zhai, Q., Olsson, Y., Fhölenhag, K., Larsson, C. and Nyberg, F.
Age-related reduction of human growth hormone-binding sites in the human brain (621) 260
Larsson, C., see Lai, Z. (621) 260
Layrargues, G.P., see Rao, V.L.R. (621) 349
Leibowitz, S.F., see Akabayashi, A. (621) 343
Lester, J., Fink, S., Aronin, N. and DiFiglia, M.
Colocalization of D_1 and D_2 dopamine

Brain Research, 621 (1993) 358–360
Elsevier Science Publishers B.V.

Author Index

Abe, K. and Saito, H.
Tyrosine kinase inhibitors, herbimycin A and lavendustin A, block formation of long-term potentiation in the dentate gyrus in vivo (621) 167
Abe, K., see Kawagoe, J.-i. (621) 121
Abraham, C.R., Kanemaru, K. and Mucke, L.
Expression of cathepsin G-like and α_1-antichymotrypsin-like proteins in reactive astrocytes (621) 222
Agnati, L.F., see Yang, S.-N. (621) 126
Akabayashi, A., Zaia, C.T.B.V., Silva, I., Chae, H.J. and Leibowitz, S.F.
Neuropeptide Y in the arcuate nucleus is modulated by alterations in glucose utilization (621) 343
Ang, L.-C., see Sass, J.B. (621) 207
Aoki, M., see Kawagoe, J.-i. (621) 121
Arai, R., Yamada, K., Fujii, T., Deura, S., Kobayashi, K., Nagatsu, T. and Nagatsu, I.
Evidence for localization of the transgene product within axon terminals in the dentate gyrus of transgenic mice expressing human phenylethanolamine *N*-methyltransferase. A light and electron microscopic immunocytochemical study (621) 141
Aronin, N., see Lester, J. (621) 106
Asari, S., see Date, I. (621) 150
Asari, S., see Zhou, J. (621) 155

Battistin, L., see Freo, U. (621) 175
Benjamin, D., Grant, E.R. and Pohorecky, L.A.
Naltrexone reverses ethanol-induced dopamine release in the nucleus accumbens in awake, freely moving rats (621) 137
Berger, A.J., see Livingston, C.A. (621) 97
Bettiker, R.L., see Ribeiro, E.B. (621) 311
Betz, H., see Kirsch, J. (621) 301
Beyer, C., see Masters, D.B. (621) 279
Bhargava, H.N., see Thorat, S.N. (621) 171
Bjelke, B., see Yang, S.-N. (621) 126
Bogdanov, M., see Ribeiro, E.B. (621) 311
Bray, G.A., see Shimizu, H. (621) 200
Butcher, K.S., Hachinski, V.C., Wilson, J.X., Guiraudon, C. and Cechetto, D.F.
Cardiac and sympathetic effects of middle cerebral artery occlusion in the spontaneously hypertensive rat (621) 79
Butterworth, R.F., see Rao, V.L.R. (621) 349

Cannon-Spoor, H.E., see Takashima, H. (621) 71
Cechetto, D.F., see Butcher, K.S. (621) 79
Chae, H.J., see Akabayashi, A. (621) 343
Chen, J., Marmur, R., Pulles, A., Paredes, W. and Gardner, E.L.
Ventral tegmental microinjection of Δ^9-tetrahydrocannabinol enhances ventral tegmental somatodendritic dopamine levels but not forebrain dopamine levels: evidence for local neural action by marijuana's psychoactive ingredient (621) 65
Cornwell, C.J., Messenger, J.B. and Williamson, R.
Distribution of GABA-like immunoreactivity in the octopus brain (621) 353
Cotman, C.W., see Whittemore, E.R. (621) 59
Cravo, S.L. and Morrison, S.F.
The caudal ventrolateral medulla is a source of tonic sympathoinhibition (621) 133

Da Costa, M.B., see Schenberg, L.C. (621) 50
Dam, M., see Freo, U. (621) 175
Date, I., Yoshimoto, Y., Imaoka, T., Miyoshi, Y., Gohda, Y., Furuta, T., Asari, S. and Ohmoto, T.
Enhanced recovery of the nigrostriatal dopaminergic system in MPTP-treated mice following intrastriatal injection of basic fibroblast growth factor in relation to aging (621) 150
Date, I., see Zhou, J. (621) 155
Davies, H., see Stewart, M.G. (621) 331
Detta, A., see Dong, J.F. (621) 242
Deura, S., see Arai, R. (621) 141
Devine, J.A., see Shukitt-Hale, B. (621) 291
DiFiglia, M., see Lester, J. (621) 106
Dong, J.F., Detta, A. and Hitchcock, E.R.
Susceptibility of human foetal brain tissue to cool- and freeze-storage (621) 242
Drugan, R.C., see Holmes, P.V. (621) 1

Erskine, M.S., see Rowe, D.W. (621) 25
Etebari, A., see Whittemore, E.R. (621) 59

Fahnestock, M. and Lu, Q.
Nerve growth factor synthesis by mouse submandibular gland cells in culture (621) 339
Fhölenhag, K., see Lai, Z. (621) 260
Fink, S., see Lester, J. (621) 106
Freed, W.J., see Takashima, H. (621) 71
Freo, U., Dam, M., Pizzolato, G., Pietrini, P., Soncrant, T.T. and Battistin, L.
The monosialoganglioside GM_1 dose-dependently reduces regional cerebral metabolic rates for glucose in awake rats (621) 175
Friedman, D.P., see Schneider, R.J. (621) 116
Fujii, T., see Arai, R. (621) 141
Furuta, T., see Date, I. (621) 150
Furuta, T., see Zhou, J. (621) 155
Fuxe, K., see Yang, S.-N. (621) 126

Gardner, E.L., see Chen, J. (621) 65
Giguère, J.-F., see Rao, V.L.R. (621) 349
Glass, J.D., see Selim, M. (621) 181
Gohda, Y., see Date, I. (621) 150
Grant, E.R., see Benjamin, D. (621) 137
Gruol, D.L., see Holliday, J. (621) 233
Guiraudon, C., see Butcher, K.S. (621) 79

Hachinski, V.C., see Butcher, K.S. (621) 79
Hauser, U.E., see Selim, M. (621) 181
Hecht, G.S., see Porter, L.H. (621) 319
Hijiya, H., see Sugimoto, T. (621) 161
Hitchcock, E.R., see Dong, J.F. (621) 242
Holliday, J. and Gruol, D.L.
Cytokine stimulation increases intracellular calcium and alters the response to quisqualate in cultured cortical astrocytes (621) 233
Holmes, P.V. and Drugan, R.C.
Amygdaloid central nucleus lesions and cholinergic blockade attenuate the response of the renal peripheral benzodiazepine receptor to stress (621) 1
Hori, K., Tanaka, J. and Nomura, M.
Effects of discrimination learning on the rat amygdala dopamine release: a microdialysis study (621) 296

Ichikawa, H., see Sugimoto, T. (621) 161
Imaoka, T., see Date, I. (621) 150

Jennes, L., see Wright, D.E. (621) 272
Jordan, F., see Masters, D.B. (621) 279
Juurlink, B.H.J., see Sass, J.B. (621) 207

Kanemaru, K., see Abraham, C.R. (621) 222
Kawagoe, J.-i., Abe, K., Aoki, M. and Kogure, K.
Induction of HSP90α heat shock mRNA after transient global ischemia in gerbil hippocampus (621) 121
Kirsch, J. and Betz, H.
Widespread expression of gephyrin, a putative glycine receptor–tubulin linker protein, in rat brain (621) 301
Kobayashi, K., see Arai, R. (621) 141
Kogure, K., see Kawagoe, J.-i. (621) 121
Komisaruk, B.R., see Masters, D.B. (621) 279
Korotzer, A.R., see Whittemore, E.R. (621) 59
Kossut, M., see Stewart, M.G. (621) 331

Lai, Z., Roos, P., Zhai, Q., Olsson, Y., Fhölenhag, K., Larsson, C. and Nyberg, F.
Age-related reduction of human growth hormone-binding sites in the human brain (621) 260
Larsson, C., see Lai, Z. (621) 260
Layrargues, G.P., see Rao, V.L.R. (621) 349
Leibowitz, S.F., see Akabayashi, A. (621) 343
Lester, J., Fink, S., Aronin, N. and DiFiglia, M.
Colocalization of D_1 and D_2 dopamine

receptor mRNAs in striatal neurons (621) 106
Levy, A., see Shukitt-Hale, B. (621) 291
Lieberman, H.R., see Shukitt-Hale, B. (621) 291
Livingston, C.A. and Berger, A.J.
Response of neurons in the dorsal motor nucleus of the vagus to thyrotropin-releasing hormone (621) 97
Lu, Q., see Fahnestock, M. (621) 339

Maestre, G.E., Tate, B.A., Majocha, R.E. and Marotta, C.A.
Membrane surface ruffling in cells that over-express Alzheimer amyloid β/A4 C-terminal peptide (621) 145
Majocha, R.E., see Maestre, G.E. (621) 145
Marmur, R., see Chen, J. (621) 65
Marotta, C.A., see Maestre, G.E. (621) 145
Masters, D.B., Jordan, F., Beyer, C. and Komisaruk, B.R.
Release of amino acids into regional superfusates of the spinal cord by mechano-stimulation of the reproductive tract (621) 279
Mattson, M.P., Tomaselli, K.J. and Rydel, R.E.
Calcium-destabilizing and neurodegenerative effects of aggregated β-amyloid peptide are attenuated by basic FGF (621) 35
Messenger, J.B., see Cornwell, C.J. (621) 353
Mishkin, M., see Schneider, R.J. (621) 116
Mitani, S., see Sugimoto, T. (621) 161
Miyoshi, Y., see Date, I. (621) 150
Moises, H.C., see Womble, M.D. (621) 87
Morrison, S.F., see Cravo, S.L. (621) 133
Mucke, L., see Abraham, C.R. (621) 222

Nagatsu, I., see Arai, R. (621) 141
Nagatsu, T., see Arai, R. (621) 141
Nakago, T., see Sugimoto, T. (621) 161
Narváez, J.A., see Yang, S.-N. (621) 126
Natter, H., see Seeburger, J.L. (621) 111
Nomura, M., see Hori, K. (621) 296
Nyberg, F., see Lai, Z. (621) 260

Obara, S., see Ogura, T. (621) 10
Ogura, T. and Obara, S.
Chloride current observed as calcium-gated tail current in trigeminal root ganglion neurons of the marine catfish, *Plotosus* (621) 10
Ohmoto, T., see Date, I. (621) 150
Ohmoto, T., see Zhou, J. (621) 155
Olsson, Y., see Lai, Z. (621) 260

Pai, K.S. and Ravindranath, V.
L-BOAA induces selective inhibition of brain mitochondrial enzyme, NADH-dehydrogenase (621) 215
Paredes, W., see Chen, J. (621) 65
Pietrini, P., see Freo, U. (621) 175
Pizzolato, G., see Freo, U. (621) 175
Pohorecky, L.A., see Benjamin, D. (621) 137
Porter, L.H., Hecht, G.S. and Sheaffer, R.
Disturbances in the performance of thermal discrimination tasks following cortical ablations in rats (621) 319
Pulles, A., see Chen, J. (621) 65

Rao, V.L.R., Giguère, J.-F., Layrargues, G.P. and Butterworth, R.F.
Increased activities of MAO_A and MAO_B in autopsied brain tissue from cirrhotic patients with hepatic encephalopathy (621) 349
Ravindranath, V., see Pai, K.S. (621) 215
Rea, M.A., see Selim, M. (621) 181
Reddy, P.L., see Thorat, S.N. (621) 171
Ribeiro, E.B., Bettiker, R.L., Bogdanov, M. and Wurtman, R.J.
Effects of systemic nicotine on serotonin release in rat brain (621) 311
Roos, P., see Lai, Z. (621) 260
Rowe, D.W. and Erskine, M.S.
c-Fos proto-oncogene activity induced by mating in the preoptic area, hypothalamus and amygdala in the female rat: role of afferent input via the pelvic nerve (621) 25
Rush, R.A., see Zhou, X.-F. (621) 189
Rydel, R.E., see Mattson, M.P. (621) 35

Saito, H., see Abe, K. (621) 167
Sakai, K., see Zhou, J. (621) 155
Sass, J.B., Ang, L.-C. and Juurlink, B.H.J.
Aluminum pretreatment impairs the ability of astrocytes to protect neurons from glutamate mediated toxicity (621) 207
Schenberg, L.C., Vasquez, E.C. and Da Costa, M.B.
Cardiac baroreflex dynamics during the defence reaction in freely moving rats (621) 50
Schneider, R.J., Friedman, D.P. and Mishkin, M.
A modality-specific somatosensory area within the insula of the rhesus monkey (621) 116
Seeburger, J.L., Tarras, S., Natter, H. and Springer, J.E.
Spinal cord motoneurons express $p75^{NGFR}$ and $p145^{trkB}$ mRNA in amyotrophic lateral sclerosis (621) 111
Selim, M., Glass, J.D., Hauser, U.E. and Rea, M.A.
Serotonergic inhibition of light-induced fos protein expression and extracellular glutamate in the suprachiasmatic nuclei (621) 181
Sheaffer, R., see Porter, L.H. (621) 319
Shimizu, H. and Bray, G.A.
Effects of castration, estrogen replacement and estrus cycle on monoamine metabolism in the nucleus accumbens, measured by microdialysis (621) 200
Shukitt-Hale, B., Stillman, M.J., Levy, A., Devine, J.A. and Lieberman, H.R.
Nimodipine prevents the in vivo decrease in hippocampal extracellular acetylcholine produced by hypobaric hypoxia (621) 291
Silva, I., see Akabayashi, A. (621) 343
Siucińska, E., see Stewart, M.G. (621) 331
Soghomonian, J.-J.
Effects of neonatal 6-hydroxydopamine injections on glutamate decarboxylase, preproenkephalin and dopamine D_2 receptor mRNAs in the adult rat striatum (621) 249
Soncrant, T.T., see Freo, U. (621) 175
Sosa, M.A. and Zengel, J.E.
Effect of glycerol treatment on transmitter release at the frog neuromuscular junction (621) 17
Springer, J.E., see Seeburger, J.L. (621) 111
Stewart, M.G., Siucińska, E., Kossut, M. and Davies, H.
Loss of glutamate immunoreactivity from mouse first somatosensory (SI) cortex following neonatal vibrissal lesion (621) 331
Stillman, M.J., see Shukitt-Hale, B. (621) 291
Sugimoto, T., Ichikawa, H., Hijiya, H., Mitani, S. and Nakago, T.
c-Fos expression by dorsal horn neurons chronically deafferented by peripheral nerve section in response to spared, somatotopically inappropriate nociceptive primary input (621) 161

Takashima, H., Walker, B.R., Cannon-Spoor, H.E. and Freed, W.J.
Kainic acid lesions increase reafferentation of the striatum by substantia nigra grafts (621) 71
Tanaka, J., see Hori, K. (621) 296
Tarras, S., see Seeburger, J.L. (621) 111
Tate, B.A., see Maestre, G.E. (621) 145
Thorat, S.N., Reddy, P.L. and Bhargava, H.N.
Evidence for the role of nitric oxide in κ-opiate tolerance in mice (621) 171
Tomaselli, K.J., see Mattson, M.P. (621) 35

Vasquez, E.C., see Schenberg, L.C. (621) 50

Walker, B.R., see Takashima, H. (621) 71
Whittemore, E.R., Korotzer, A.R., Etebari, A. and Cotman, C.W.
Carbachol increases intracellular free calcium in cultured rat microglia (621) 59
Wiesenfeld-Hallin, Z., see Xu, X.-J. (621) 267
Williamson, R., see Cornwell, C.J. (621) 353
Wilson, J.X., see Butcher, K.S. (621) 79
Womble, M.D. and Moises, H.C.
Muscarinic modulation of conductances underlying the afterhyperpolarization in neurons of the rat basolateral amygdala (621) 87
Wright, D.E. and Jennes, L.
Origin of noradrenergic projections to GnRH perikarya-containing areas in the medial septum-diagonal band and preoptic area (621) 272
Wurtman, R.J., see Ribeiro, E.B. (621) 311

Xu, X.-J. and Wiesenfeld-Hallin, Z.
Neither cholecystokinin nor galanin modulate intrathecal clonidine-induced depression of the nociceptive flexor reflex in the rat (621) 267

Yamada, K., see Arai, R. (621) 141
Yang, S.-N., Narváez, J.A., Bjelke, B., Agnati, L.F. and Fuxe, K.
Microinjections of subpicomolar amounts of NPY(13–36) into the nucleus tractus solitarius of the rat counteract the vasodepressor responses of NPY(1–36) and of a NPY Y_1 receptor agonist (621) 126
Yoshimoto, Y., see Date, I. (621) 150
Yoshimoto, Y., see Zhou, J. (621) 155

Zaia, C.T.B.V., see Akabayashi, A. (621) 343
Zengel, J.E., see Sosa, M.A. (621) 17
Zhai, Q., see Lai, Z. (621) 260
Zhou, J., Date, I., Sakai, K., Yoshimoto, Y., Furuta, T., Asari, S. and Ohmoto, T.
Suppression of immunorejection against rat fetal dopaminergic neurons in a mouse brain by 15-deoxyspergualin (621) 155
Zhou, X.-F. and Rush, R.A.
Localization of neurotrophin-3-like immunoreactivity in peripheral tissues of the rat (621) 189

(contents continued)

Neuropeptide Y in the arcuate nucleus is modulated by alterations in glucose utilization
A. Akabayashi, C.T.B.V. Zaia, I. Silva, H.J. Chae and S.F. Leibowitz (USA) 343
Increased activities of MAO_A and MAO_B in autopsied brain tissue from cirrhotic patients with hepatic encephalopathy
V.L.R. Rao, J.-F. Giguère, G.P. Layrargues and R.F. Butterworth (Canada) 349
Distribution of GABA-like immunoreactivity in the octopus brain
C.J. Cornwell, J.B. Messenger and R. Williamson (UK) 353

Author Index 358